




# QUARTZ COUNTERTOPS

## Technical Data:

No.	Test Item	Test Method	Result
1	Abrasion Resistance	ASTM C241/C241M-15e1	32
2	Flexural Strength	ASTM C880/C880M-15	Dry Condition: 45.5MPa Wet Condition: 49.5MPa
3	Impact Resistance	EN 14617-9:2005	9.54J
4	Compressive Strength	ASTM C170/C170M-17	Dry Condition: 181MPa Wet Condition: 187MPa
5	Absorption and Bulk Specific Gravity	ASTM C97/C97M-18	Water Absorption: 0.05% Bulk Specific Gravity: 2.33
6	Stain Resistance Test Rating	ANSI Z124.6-2007 Section 5.2	Stain Resistance Rating: 64 The Maximum Stain Depth: 0.06mm
7	Mohs' Hardness	EN 101-1991	6

# Quartz


---




**Model: 1000**



**Model: 1006**




**Model: 1009**



**Model: 1010**




**Model: 1016**




**Model: 1019**

# Quartz


---



**Model: 1020**




**Model: 1100**




**Model: 1109**

# Quartz


---



**Model: 1113**




**Model: 1140**



**Model: 1149**

# Quartz

---



**Model: 1150**




**Model: 1206**




**Model: 2601**

# Quartz

---



**Model: 2660**



**Model: 5003**



**Model: 5380**



# Quartz


---



**Model: 6000**




**Model: 6006**




**Model: 6117**



**Model: 6120**



**Model: 6130**




**Model: 6200**




**Model: 6206**




**Model: 6220**



**Model: 6904**



**Model: 1123**



**Model: 9001**



**Model: 9004**



# QUARTZ COUNTERTOPS

